



**HIGH GLOSS**  
1200x1200mm

# ANTRESIT BEIGE

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**



# ANTRESIT BIANCO

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**



# ANTRESIT GREY

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**






**ARMANI BEIGE**

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**



**ARMANI GREY**

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**






# BIANCO STATUARIO VENATO

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**





**BLACK PEARL**

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**

**11 RANDOM**






# BLUE BRECCIA BOOK MATCH

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**







# BRESSIA ONICIATA

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**




**DOLCEY BEIGE**

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**







# DYNA NATURAL

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**




**FRENCH BONE**

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**







# FRENCH PORCELAIN

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**




# FRENCH SILVER

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**






**FRENCH STEEL**

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**






**ICE ONYX**

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**





# NOVELLE CREMA

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**



**NOVELLE ICE**  
**1200x1200 MM**  
**FINISH : HIGH GLOSS**  
**THICKNESS : 9 MM**






# OROBICO GREY

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**



# PIETRA GREY LUCIDATO

**1200x1200 MM**  
**FINISH : HIGH GLOSS**  
**THICKNESS : 9 MM**

**8 RANDOM**



**SILVER ROOT**

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**



# STATUARIO ICE

**1200x1200 MM**


**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**



# STATUARIO ITALIA





**1200x1200 MM**  
**FINISH : HIGH GLOSS**  
**THICKNESS : 9 MM**





# STATUARIO LUCIDATO

**1200x1200 MM**  
**FINISH : HIGH GLOSS**  
**THICKNESS : 9 MM**





# STATUARIO PEARL

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**






# STATUARIO SUPER

**1200x1200 MM**

**FINISH : HIGH GLOSS**

**THICKNESS : 9 MM**



# Technical Specification

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
-----------------	---	--------	-------------

## REGULATORY PROPERTIES

Deviation in Lenth & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter

## STRUCTURAL PROPERTIES

Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082

## MASSIVE MECHANICAL PROPERTIES

Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5

## SURFACE MECHANICAL PROPERTIES

Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101

## THERMO HYGROMETRIC PROPERTIES

Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 <sup>-6</sup>	Max 6.5x10 <sup>-6</sup>	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11

## CHEMICAL PROPERTIES

Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14

## SAFETY PROPERTIES

Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

# Packing Detail

SIZE (in mm)	THICKNESS APPROX	PIECES / PER BOX	COVERAGE AREA IN SQ. FT	BOX WEIGHT ( APPROX. )
1200X1200	9 MM	2	31	61